

Clay Roof Tiles



- Select Cool Roof & Energy Star Rated Colors
- Color Fade Limited Warranty*
- Cradle to Cradle Certified
- 100% Recyclable
- Up to 59% Recycled Content
- Products Shown are Class A Fire Rated



Inspired by nature



US Tile by Boral

A Roof for the Ages

A genuine clay tile roof has a story to tell, a tale of legendary craftsmanship, timeless taste, and uncompromising values.

For over 5,000 years, visionary people have crowned their homes with clay tile roofs. It continues to be a cherished tradition because of its lasting beauty and enduring strength over time.

Made from natural materials, the raw clay is literally transformed by fire. It becomes an aesthetic object shaped for time-tested style and performance, and it can remain virtually unchanged after decades of service. Clay tile roofs make a bold statement about a way of life and the art of living.

The Best Possible Clay Tile Roof

Our passion is to create the best clay tile possible, a symbol of premium roofing. Artisan inspired, crafted with care for the earth and a sense of value, our American-made tile is produced in our cutting-edge manufacturing facility. Stringent quality control assures tiles that look consistently exquisite and install smoothly.

Supporting tradition with design innovation, our tile allows for customized installations including staggering, boosting, serpentine patterns, and more.

The Most Environmentally Responsible Tile Available

We were the first in the world to obtain Cradle-to-Cradle Gold certification for a clay tile roof, upholding the highest standards of sustainability. Our clay tile is made from up to 59% recycled material and the raw materials are sourced locally reducing transportation and minimizing the environmental footprint.

Our premium manufacturing process exposes the unique, exquisite colors of clay in a pallet of rich and vibrant hues. Clay tile tends to be naturally reflective and many of our colors meet the highest cool roofing standards such as ENERGY STAR and LEED, which can help improve comfort and energy efficiency.

A Promise of Performance

We believe in our clay roof tile products, which outperform virtually any roofing product on the market today. We demonstrate our belief by offering a powerful warranty to the original purchaser, which is transferrable to a new owner for a term of 50 years.*

For appropriate regions that experience full winter weather, some of our clay tiles meet Grade 1 standards per ASTM C1167.



2-Piece Mission

True two-piece Mission barrel tiles speak of history, security and luxury. With a simple, practical design that dates back to the Bronze Age, mission tiles have adorned the roofs of palaces, temples and the early missions in California.

2-Piece Mission tile is a perfect execution of a timeless tradition. Durable, colorfast and manufactured with the most modern methods and the highest standards, 2-Piece Mission tiles distinguish your home with unmatched beauty and elegance.









Madera Blend

tops: 1UADU3107 / pans: 1UBDU6078 59%



CRRC ID: 0942-0177 / Ref: .28 / Emit: .87 / SRI: 28

Red

tops: 1UADU7025 / pans: 1UBDU7025



CRRC ID: 0942-0129 / Ref: .42 / Emit: .85 / SRI: 46

El Camino Blend

tops: 1UADU6073 / pans: 1UBDU7025 59%



CRRC ID: 0942-0138a / Ref: .28 / Emit: .84 / SRI: 27

Carmel Blend

tops: 1UADU0075 / pans: 1UBDU0073 49%



CRRC ID: 0942-0178 / Ref: .35 / Emit: .87 / SRI: 37

Tuscany Blend

tops: 1UADU6075 / pans: 1UBDU6075



CRRC ID: 0942-0156a / Ref: .22 / Emit: .86 / SRI: 20

Palermo Blend

59%

tops: 1UADU6081 / pans: 1UBDU7025 59%



CRRC ID: 0942-0179 / Ref: 0.25 / Emit: 0.86 / SRI: 24

Mallorca

tops: 1UADU6080 / pans: 1UBDU6080 49%



CRRC ID: 0942-0130 / Ref: .53 / Emit: .86 / SRI: 61

Fire Flash

tops: 1UADU6074 / pans: 1UBDU7025



CRRC: 0942-0157a / Ref: .25 / Emit: .85 / SRI: 23

Newport Blend

tops: 1UADU7040 / pans: 1UBDU6075 59%



CRRC: 0942-0160a / Ref: .19 / Emit: .86 / SRI: 16

Old World #1

tops: 1UADU0073 / pans: 1UBDU0073 49%



CRRC ID: 0942-0158a / Ref: .43 / Emi: .84 / SRI: 47

Bermuda Blend

tops: 1UADU0074 / pans: 1UBDU6080 49%



CRRC ID: 0942-0131b / Ref: .42 / Emit: .84 / SRI: 45

Rustic Newport

tops: 1UADI7040 / pans: 1UBDU6075



CRRC ID: 0942-0160a / Ref: .19 / Emit: .86 / SRI: 16

Old World #2

tops: 1UADU6078 / pans: 1UBDU6078 59%



CRRC ID: 0942-0161a / Ref: 0.29 / Emit: 0.84 / SRI: 28

Turino Blend

tops: 1UADU6082 / pans: 1UBDU6080



CRRC ID# - 0942-0180 / Ref: .38 / Emit: .87 / SRI: 41

Rustic Palermo

tops: 1UADI6081 / pans: 1UBDU7025





CRRC ID: 0942-0179 / Ref: .25 / Emit: 0.86 / SRI: 24

Old World #3

tops: 1UADU3114 / pans: 1UBDU6078 59%



CRRC ID: 0942-0159a / Ref: .30 / Emit: .85 / SRI: 30

Rustic Carmel

tops: 1UADI0075 / pans: 1UBDU0073



CRRC ID: 0942-0178 / Ref: .35 / Emit: .87 / SRI: 37

Rustic Madera

tops: 1UADI3107 / pans: 1UBDU6078



CRRC ID: 0942-0177 / Ref: .28 / Emit: .87 / SRI: 28









Transforming style and substance into roofing






2-Piece Monarch

The Old-World charm of traditional small-barrel, high-arch clay tile is captured exquisitely by our two-piece Monarch tile. For the truly inspired designer or homeowner, this authentic Mediterranean style offers a more closely refined roof that is distinctive, vibrant and universally appealing.

Monarch tiles are rich with the time-honored aura of kiln-fired clay, made with modern consistency and efficiency to the most exacting standards of quality, strength, and durability.



Aesthetics of traditional European styling





Madera Blend

tops: 1UCDU3107 / pans: 1UDDU3107 59%



CRRC ID: 0942-0177 / Ref: .28 / Emit: .87 / SRI: 28

Newport Blend

tops: 1UCDU7040 / pans: 1UDDU7040 \$\square\$59%



CRRC ID: 0942-0160a / Ref: 0.19 / Emit: 0.86 / SRI: 16

Turino Blend

tops: 1UCDU6082 / pans: 1UDDU6081 49%



CRRC ID: 0942-0180 / Ref: .38 / Emit: .87 / SRI: 41

Carmel Blend

tops: 1UCDU0075 / pans: 1UDDU3107 49%



CRRC ID: 0942-0178 / Ref: .35 / Emit: .87 / SRI: 37

Palermo Blend

tops: 1UCDU6081 / pans: 1UDDU6081 \$\sigma 59\%



CRRC ID: 0942-0179 / Ref: .25 / Emit: 0.86 / SRI: 24









The printed colors shown in this brochure may vary from actual available tile colors.



1-Piece "S" Tile

The sophisticated composition of one-piece "S" clay tile accents the curvature of the roof, creating a distinct, elegant dimensional color. The covers and pans of classic barrel tile are joined into a single, strong, efficient piece that radiates the traditional clay tile appeal.


US Tile by Boral clay tile is crafted with meticulous care. 1-Piece "S" Tile is designed to allow custom options such as boosting for that artisan inspired installation while saving time and cost, making clay tile beauty and value available at substantial savings.




Superior durability without compromising true, kiln-fired looks








CRRC ID: 0942-0180 / Ref: .38 / Emit: .87 / SRI: 41



CRRC ID: 0942-0138a / Ref: .28 / Emit: .84 / SRI: 27



CRRC ID: 0942-0130 / Ref: 0.53 / Emit: 0.86 / SRI: 61



CRRC ID: 0942-0178 / Ref: .35 / Emit: .87 / SRI: 37




CRRC ID: 0942-0160a Ref: .19 / Emit: .86 / SRI: 16



CRRC ID: 0942-0129 Ref: .42 / Emit: .85 / SRI: 46



CRRC ID: 0942-0177 / Ref: .28 / Emit: .87 / SRI: 28



CRRC ID: 0942-0179 / Ref: .25 / Emit: .86 / SRI: 24



CRRC ID: 0942-0157a / Ref: .25 / Emit: .85 / SRI: 23



CRRC ID: 0942-0158a / Ref: .43 / Emit: .84 / SRI: 47



Bermuda Blend


Tuscany

CRRC ID: 0942-0131b / Ref: .42 / Emit: 0.84 / SRI: 45



Rustic Madera


CRRC ID: 0942-0177 / Ref: .28 / Emit: .87 / SRI: 28




CRRC ID: 0942-0161a / Ref: .29 / Emit: .84 / SRI: 28




CRRC ID: 0942-0156a / Ref: .22 / Emit: .86 / SRI: 20




CRRC ID: 0942-0160a / Ref: .19 / Emit: .86 / SRI:16



CRRC ID: 0942-0159a / Ref: .30 / Emit: .85 / SRI: 30



CRRC ID: 0942-0178 / Ref: .35 / Emit: .87 / SRI: 37



CRRC ID: 0942-0179 / Ref: .25 / Emit: .86 / SRI: 24








Custom Blend #2 NEW NEW

50% Bermuda Blend; 50% Carmel Blend



50% Carmel Blend; 50% Old World #2




50% El Camino Blend; 50% Newport Blend



50% Carmel Blend; 50% Madera Blend



50% Rustic Carmel; 50% Rustic Madera



50% Old World #2; 50% Newport Blend



50% Madera Blend; 50% Newport Blend



50% Newport Blend; 50% Rustic Madera







80% El Camino; 10% Fire Flash; 10% Mallorca







Romano Pans

Romano Pans trace their roots to the ancient Greeks. The flat-bottomed pan is designed for use with either Mission or Monarch barrel-shaped tops and creates a look reminiscent of classical European aesthetics and style. Setting off the barrel tile, Romano Pans allow design flexibility and create a stunning appearance that signifies individuality of style in the best of taste.

Romano Pans are available in cool roof colors for a house that is as energy-efficient as it is distinctive.



Sensible luxury meets performance



Old World #2 1URDU6078 **5**9%



CRRC ID: 0942-0161a / Ref: .29 / Emit: .84 / SRI: 28

Newport Blend 59% 1URDU7040





CRRC ID: 0942-0156a / Ref: .22 / Emit: .86 / SRI: 20

Madera Blend 1URDU3107



CRRC ID: 0942-0177 / Ref: .28 / Emit: .87 / SRI: 28

Red 1URDU7025

59%



CRRC ID: 0942-0129 / Ref: .42 / Emit: .85 / SRI: 46

El Camino Blend



CRRC ID: 0942-0138a / Ref: .20 / Emit: .84 / SRI: 27





ClayLite®



The beauty of kiln-fired clay and the efficiency-advantage of onepiece "S" tile are elegantly engineered into ClayLite, a genuine clay tile that reduces weight by as much as 40%. Made from the same natural materials as our standard-weight tile, ClayLite is designed especially for re-roofing.

With tile that weighs less than 600 pounds per square, a home can be enhanced with the traditional rich color palette and comfort performance of clay, often without the need for added structural reinforcement.



Encompassing the art of living







CRRC ID: 0942-0181 / Ref: .30 / Emit: .86 / SRI: 30



Merlot Blend

CRRC ID: 0942-0133a / Ref: .22 / Emit: .83 / SRI: 18



Terracotta

Java Blend

CRRC ID: 0942-0129 / Ref: .42 / Emit: .85 / SRI: 46



CRRC ID: 0942-0163a / Refl: .42 / Emit: .83 / SRI: 45



CRRC ID: 0942-0144a / Refl: .31 / Emit: .82 / SRI: 30



CRRC ID: 0942-0184 / Refl: .20 / Emit: .86 / SRI: 17





ClayMax®




ClayMax lightweight tile offers a modern variant on the classic theme, a low-profile double-barrel tile that brings together the beauty and benefits of clay tile in a design that pairs resilience with sensibility.

ClayMax tile are ideal for re-roofing, as well as residential, commercial and homeowners association projects where weight, durability and value are important considerations, but style and performance are not to be compromised.










CRRC ID: 0942-0129 / Refl: .42 / Emit: .85 / SRI: 46

59%



Newport Blend

CRRC ID: 0942-0160a / Refl: .19 / Emit: .86 / SRI: 16



Madera Blend 2UMDU3107



CRRC ID: 0942-0177 / Refl: .28 / Emit: .87 / SRI: 28



CRRC ID: 0942-0138a / Refl: .28 / Emit: .84 / SRI: 27






Long term durability, reminiscent of hand crafted tile



Faux Mission

The "Faux Mission" installation technique gives architects, builders and homeowners the superior aesthetics of a traditional two-piece clay tile roof at an affordable price.

We carefully designed our "S" Tile, ClayLite® and our traditional 2-Piece Mission tile profiles to fit together, allowing a custom installation that provides the aesthetics of a traditional two-piece tile while capturing the cost saving benefits of an "S" Tile or ClayLite. The 2-Piece Mission tile is installed at the eave where the details of the roof are most visible. The "S" Tiles or ClayLite tiles are then installed on the rest of the roof for a much quicker and easier installation than a traditional two-piece tile roof.



An exquisite and state-ofthe-art product which embodies extraordinary creativity & design






















Technical Specifications

Size	Coverage	Installed Weight per Square	Pieces per Pallet	Squares per Pallet	Weight per Pallet	Birdstop	Size
18" x 7"- 8.5"	At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,000 lbs.	360	2.09	Approx: 2,150 lbs.		7" x 3.5"
n meets Grade 1 star	ndards per ASTM C1167.						
18" x 5.25" - 6.75"	At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,070 lbs.	408	1.85	Approx: 2,050 lbs.	<u>M</u>	5" x 3"
18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 800 lbs.	252	2.86	Approx: 2,400 lbs.	A. J	7" x 3.25"
le meets Grade 1 star	ndards per ASTM C1167 and	is a Hail Rated product p	oer FM4473 star	ndards.			
18" x 11"	At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	420		Approx: 2,950 lbs.		
18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 590 lbs.	336	3.8	Approx: 2,300 lbs.	A. W	7" x 3.25"
18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 580 lbs.	418	4.75	Approx: 2,900 lbs.		
	18" x 7"- 8.5" In meets Grade 1 star 18" x 5.25" - 6.75" 18" x 13" 18" x 11"	At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	At 3" minimum headlap, 1,000 lbs. 18" x 7"- 8.5" At 3" minimum headlap, 1,000 lbs. In meets Grade 1 standards per ASTM C1167. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 800 lbs. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	At 3" minimum headlap, 1,000 lbs. 360 In meets Grade 1 standards per ASTM C1167. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 80 lbs. 252 At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs. 418	18" x 7"- 8.5" At 3" minimum headlap, approx. 100 square feet of roof area. At 3" minimum headlap, 17.2 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 38 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 38 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 38 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 38 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 38 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs. At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet 590 lbs.	18" x 7"- 8.5"

NOTE: Please call Customer Service at 800.669.8453 or login to myBoral at www.BoralRoof.com to confirm product quantities and availability before arriving at the plant for pick up. Select products are made-to-order and are available for pick up within approximately 2-3 weeks from the order date. These made-to-order products may require a minimum quantity, so please check with customer service before placing your order.



Choose from one of our many cool roof rated tiles that will improve the energy efficiency by reflecting sunlight and heat away from your roof. When these are combined with our Elevated Batten System, they will provide reduced cooling costs and they may even qualify for local rebates. The Cool Roof Rating Council (CRRC) measures the "coolness" of a roof by determining a roof's solar reflectance (SR) and thermal emittance (TE). Both properties are rated on a scale from 0 to 1, where 1 is the most reflective or emissive. The CRRC measures these two properties for roofing products, both for the product's initial values and after three years of weather exposure. Boral Roofing manufactures some products that meet CRRC guidelines, allowing homeowners in some regions to receive utility rebates. Boral Roofing's products that are CRRC rated help reduce the heat island effect found in urban areas and in general, increases the overall energy efficiency of the building. For current product ratings please visit our website at www.boralroof.com and click on CRRC logo on the home page.





Boral® Products are featured in the VISION House® at INNOVENTIONS presented by Green Builder® Media.
This green home exhibit is located in INNOVENTIONS at Epcot® at the Walt Disney

Popular Mechanics' Winner



2011 Breakthrough Award for Home and Hardware BoralPure® Technology Smog Eating Concrete Tile

Edison Gold Award Winner



2012 Best New Product in Safety & Sustainability BoralPure® Technology Smog Eating Concrete Tile

ABOUT BORAL ROOFING

World® Resort.

Boral Roofing is a subsidiary of Boral USA and is the country's largest premium provider of complete roofing and re-roofing solutions for architects as well as commercial and residential builders. Boral Roofing operates 13 clay and concrete tile manufacturing plants throughout the U.S.


ABOUT BORAL USA

Headquartered in Roswell, Georgia, Boral USA is the holding company for Boral's US operations which include leading manufacturers in the building material industry. Boral USA's subsidiaries include Boral Bricks; #1 manufacturer of clay brick in the United States, Boral Roofing; the nation's leading manufacturer of clay and concrete roof tiles, Boral Stone Products, manufacturer of Cultured Stone® the most recognized brand of manufactured stone veneer, and Boral Composites Inc; manufacturer of Boral TruExterior® Trim, the #1 brand of poly-ash exterior trim products.

Bricks | Stone | Roofing | Trim www.BoralAmerica.com

Design-A-Blend







Design-A-Blend is your starting point to explore the infinite color possibilities with US Tile* by Boral*. As you identify color combinations you are interested in, email your blends or give us a call and we will take it from there.



Visit www.boralroof.com to try Design-A-Blend today!



Download a QR Code reader app for your smartphone, then take a photo to visit our website www.BoralRoof.com

1.800.669.TILE (8453) | www.BoralRoof.com

















